CLAIMS

- (PREVIOUSLY PRESENTED) A medical device having a surface coated with a composition comprising a lectin, wherein:
 - (a) the medical device includes a metallic material:
- (b) the lectin binds a compound produced by a microorganism capable of forming a biofilm on the surface of the medical device so as to enhance attachment of the microorganism to the composition comprising the lectin; and
- (c) the lectin is disposed within a biodegradable polymer composition that can slough away from the surface of the medical device when the lectin is bound to the compound produced by a microorganism,

so as to inhibit formation of a biofilm on the surface of the medical device.

(CANCELLED)

- (ORIGINAL) The medical device of claim 2, wherein the biodegradable polymer is a biocompatible polymer that degrades at a controllable rate within an in vivo environment.
- (ORIGINAL) The medical device of claim 1, wherein the composition further comprises at least one agent that inhibits the growth of the microorganism.
- (ORIGINAL) The medical device of claim 4, wherein the agent is an antibiotic or an antifungal agent.
- 6. (ORIGINAL) The medical device of claim 1, wherein the lectin binds to a compound produced by a microorganism selected from the group consisting of Pseudomonas aeruginosa, Streptococcus pneumoniae, Streptococcus viridans, Haemophilus influenzae, Escherichia coli, Staphylococcus aureus, Staphylococcus epidermidis and Candida albicans.

- (ORIGINAL) The medical device of claim 1, wherein the lectin is wheat germ agglutinin or concanavalin A.
 - 8. (ORIGINAL) The medical device of claim 1, wherein the device is implantable.
- (ORIGINAL) The medical device of claim 8, wherein the device comprises a drug delivery pump, a pacemaker, a cochlear implant, a shunt, a catheter or a cannula.

10-35. (CANCELLED)

- 36. (PREVIOUSLY PRESENTED) The medical device of claim 1, wherein the metallic material is titanium or stainless steel.
- (PREVIOUSLY PRESENTED) The medical device of claim 1, wherein the medical device further includes a biostable polymeric material.
- 38. (PREVIOUSLY PRESENTED) A medical device having a surface coated with a composition comprising a lectin, wherein:
 - (a) the surface of the medical device includes a biostable polymeric material;
- (b) the lectin binds a compound produced by a microorganism capable of forming a biofilm on the surface of the medical device so as to enhance attachment of the microorganism to the composition comprising the lectin; and
- (c) the lectin is disposed within a biodegradable polymer composition that can slough away from the biostable polymeric material when the lectin is bound to the compound produced by a microorganism,

so as to inhibit formation of a biofilm on the surface of the medical device.

 (PREVIOUSLY PRESENTED) The medical device of claim 38, wherein the biostable polymeric material comprises polytetrafluoroethylene.

- (PREVIOUSLY PRESENTED) The medical device of claim 38, wherein the medical device further includes a metallic material.
- 41. (PREVIOUSLY PRESENTED) The medical device of claim 1 or claim 38, wherein the composition comprising the lectin is disposed on a region of the device having a mechanical structure that is compatible with the adherence of microorganisms.